

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

- 1.- This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (i) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).
- 2.- Throughout the Nomenclature, the expression “parts of general use” means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.
- 3.- Throughout the Nomenclature, the expression “base metals” means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4.- Throughout the Nomenclature, the term “cermets” means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term “cermets” includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;

- (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term “alloys” includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6.- Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7.- Classification of composite articles:
Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals.
For this purpose:
- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
 - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
 - (c) a cermet of heading 81.13 is regarded as a single base metal.
- 8.- In this Section, the following expressions have the meanings hereby assigned to them:
- (a) **Waste and scrap**
Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
 - (b) **Powders**
Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

Additional Note

The classification of goods in this Section shall not be affected by the application of a rough coating (grease, oil, tar, graphite, etc.) clearly intended to protect against rust or corrosion.

CHAPTER 72 IRON AND STEEL

Notes

1.- In this Chapter and, in the case of Notes d), e) and f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) **Pig iron**

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements.

(b) **Spiegeleisen**

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at a) above.

(c) **Ferro-alloys**

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, de-sulphurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) **Steel**

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) **Stainless steel**

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) **Other alloy steel:**

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminium
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium

- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at ij), k) or l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including “flattened circles” and “modified rectangles”, of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at ij), k), l) or m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

2.- Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.

3.- Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes

1.- In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium
- more than 0.05% of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3% to 6% of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7% of carbon,
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

- 2.- For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified “other elements” referred to in Chapter Note 1 c) must each exceed 10% by weight.

Additional Notes

- 1.- The expression “Electrical” sheets and plates shall be taken to mean flat-rolled products which under a current at 50 Hz and a magnetic flux of 1 Tesla (10 000 Gauss) display a watt-loss per kg, calculated by the Epstein method, of:

- not more than 2.1 W when their thickness does not exceed 0.20 mm;
 - not more than 3.6 W when their thickness exceeds 0.20 mm but does not exceed 0.60 mm;
 - not more than 6 W when their thickness exceeds 0.60 mm but does not exceed 1.50 mm.
- 2.- For the purposes of headings 72.10 and 72.12, the expression “tinplate” shall be taken to mean: Flat-rolled products not further worked than cut to rectangular (including square) shape, of single-coloured uniform surface, of a thickness of less than 0.50 mm, coated with a layer of metal containing 97% or more by weight of tin.
- 3.- For the purposes of heading 72.14 the expression “concrete reinforcing bars and rods” shall be taken to mean smooth bars and rods of circular cross-section, of a length of 12 m or more, in accordance with the following specifications:

(a) rated diameter and tolerance (mm)

RATED DIAMETER	TOLERANCE
5 mm	−0.3 mm to +0.5 mm
6 mm	−0.3 mm to +0.5 mm
8 mm	−0.4 mm to +0.4 mm
10 mm	−0.5 mm to +0.5 mm
12 mm to 14 mm	−0.6 mm to +0.6 mm
16 mm to 20 mm	−0.7 mm to +0.7 mm
25 mm	−0.8 mm to +0.8 mm
32 mm	−0.9 mm to +0.9 mm
40 mm	−1 mm to +1 mm

- (b) **Containing by weight the following elements, other than iron, in the specified proportions:**

0.08% to 0.13% of carbon;
not more than 0.04% of phosphorus;
not more than 0.04% of sulphur.

- (c) **Mechanical characteristics (tensile tests will be carried out in accordance with recognized standards):**

Minimum yield point (Re): 215 N/mm²;
Ultimate tensile strength (Rm): 330 N/mm² or more but not more than 490 N/mm²;
Creep fracture (A): 22% or more;
(L₀ = 5d)

- L₀ = Sample length.
- d = Sample diameter

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
					I- PRIMARY MATERIALS ; PRODUCTS IN GRANULAR OR POWDER FORM			
72.01					Pig iron and spiegeleisen in pigs, blocks or other primary forms.			
		7201.10	00		- Non-alloy pig iron containing by weight 0.5% or less of phosphorus			
5			10		- - - Manufactured wholly from charcoal, containing by weight 0.07% or less of phosphorus and 0.03% or less of sulphur	2.5	kg	-
5			91		- - - Other:	2.5	kg	-
5			99		- - - - Containing by weight more than 1.50% of manganese	2.5	kg	-
					- - - - Other	2.5	kg	-
		7201.20	00		- Non-alloy pig iron containing by weight more than 0.5% of phosphorus			
5			10		- - - Containing by weight not more than 1% of silicon	2.5	kg	-
5			90		- - - Other	2.5	kg	-
		7201.50	00		- Alloy pig iron; spiegeleisen			
5			10		- - - Spiegeleisen	2.5	kg	-
5			91		- - - Alloy pig iron:			
					- - - - Containing by weight 0.30% or more but not more than 1% of titanium and 0.50% or more but not more than 1% of vanadium	2.5	kg	-
5			99		- - - - Other	2.5	kg	-
72.02					Ferro-alloys			
					- Ferro-manganese:			
5		7202.11	00	00	- - Containing by weight more than 2% of carbon	2.5	kg	-
5		7202.19	00	00	- - Other	2.5	kg	-
					- Ferro-silicon:			
5		7202.21	00	00	- - Containing by weight more than 55% of silicon	2.5	kg	-
5		7202.29	00	00	- - Other	2.5	kg	-
5		7202.30	00	00	- Ferro-silico-manganese	2.5	kg	-
					- Ferro-chromium:			
5		7202.41	00	00	- - Containing by weight more than 4% of carbon	2.5	kg	-
5		7202.49	00	00	- - Other	2.5	kg	-
5		7202.50	00	00	- Ferro-silico-chromium	2.5	kg	-
5		7202.60	00	00	- Ferro-nickel	2.5	kg	-
5		7202.70	00	00	- Ferro-molybdenum	2.5	kg	-
5		7202.80	00	00	- Ferro-tungsten and ferro-silico-tungsten	2.5	kg	-
					- Other:			
5		7202.91	00	00	- - Ferro-titanium and ferro-silico-titanium	2.5	kg	-
5		7202.92	00	00	- - Ferro-vanadium	2.5	kg	-
5		7202.93	00	00	- - Ferro-niobium	2.5	kg	-
		7202.99			- - Other			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			10	00	- - - Ferro-phosphorus containing by weight 15% or more of phosphorus	2.5	kg	-
			90		- - - Other:			
5			10		- - - - Ferro-aluminium, ferro-silico-aluminium and ferro-silico-mangano-	2.5	kg	-
5			90		- - - - Other	2.5	kg	-
	72.03				Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94%, in lumps, pellets or similar forms.			
5		7203.10	00	00	- Ferrous products obtained by direct reduction of iron ore	2.5	kg	-
5		7203.90	00	00	- Other	2.5	kg	-
	72.04				Ferrous waste and scrap; remelting scrap ingots of iron or steel.			
		7204.10	00		- Waste and scrap of cast iron			
4			10		- - - Not sorted or graded	2.5	kg	-
4			90		- - - Other	2.5	kg	-
		7204.21			- Waste and scrap of alloy steel:			
					- - Of stainless steel			
4			12		- - - Not sorted or graded	2.5	kg	-
4			92		- - - Other	2.5	kg	-
		7204.29	00		- - Other			
4			12		- - - Not sorted or graded	2.5	kg	-
4			92		- - - Other	2.5	kg	-
		7204.30	00		- Waste and scrap of tinned iron or steel			
4			12		- - - Not sorted or graded	2.5	kg	-
4			92		- - - Other	2.5	kg	-
		7204.41	00		- Other waste and scrap:			
					- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles			
4			10		- - - Not sorted or graded	2.5	kg	-
					- - - Other:			
4			91		- - - - Turnings, shavings, chips, milling waste, sawdust and filings	2.5	kg	-
4			93		- - - - Bundles, whether or not cadmium-coated, but not coated with other metals or enamelled, "black bundles"	2.5	kg	-
4			95		- - - - Other bundles	2.5	kg	-
4			99		- - - - Other	2.5	kg	-
		7204.49	00		- - Other			
4			12		- - - Not sorted or graded	2.5	kg	-
					- - - Other:			
4			92		- - - - Turnings, shavings, chips, milling waste, sawdust and filings	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
4	72.05	7204.50	00	94	---- Bundles, whether or not cadmium-coated, but not coated with other metals or enamelled, "black bundles"	2.5	kg	-
4				96	---- Other bundles	2.5	kg	-
4				98	---- Other	2.5	kg	-
5				00	- Remelting scrap ingots	2.5	kg	-
					Granules and powders, of pig iron, spiegeleisen, iron or steel.			
					- Granules			
5				10	--- Of iron or steel wire (including wire rod)	2.5	kg	-
5				90	--- Other	2.5	kg	-
					- Powders:			
5				00	-- Of alloy steel	2.5	kg	-
5	72.06	7205.29	00	00	-- Other	2.5	kg	-
					II. IRON AND NON-ALLOY STEEL			
					Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).			
					- Ingots			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other:			
5				91	---- Of special-purpose steel	2.5	kg	-
5				99	---- Other	2.5	kg	-
					- Other			
5				10	--- For rolling, forging or re-melting, obtained by shingling balls of puddled iron to remove refin ing slag, or by hot-rolling bundles of iron or steel fragments or puddled iron	2.5	kg	-
5	72.07	7206.90	00	90	--- Other (for example, iron obtained by electrolysis, broken or in lumps)	2.5	kg	-
					Semi-finished products of iron or non-alloy steel			
					- Containing by weight less than 0.25% of carbon:			
					-- Of rectangular (including square) cross-section, the width measuring less than twice the thick ness			
					--- Of square cross-section exceeding 1 225 mm ² :			
5				11	---- Rolled	2.5	kg	-
5				19	---- Other	2.5	kg	-
					--- Other:			
5				91	---- Rolled	2.5	kg	-
5				99	---- Other	2.5	kg	-
					-- Other, of rectangular (other than square) cross-section			
		7207.11	00		--- Of a thickness of 6 mm or more, a width of 150 mm or more, the thickness not exceeding one-quarter of the width:			
5				11	---- Rolled	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				19	---- Other	2.5	kg	-
					--- Other:			
5				91	---- Rolled	2.5	kg	-
5				99	---- Other	2.5	kg	-
		7207.19	00		-- Other			
5				10	--- Roughly shaped by forging	2.5	kg	-
5				90	--- Other	2.5	kg	-
		7207.20	00		- Containing by weight 0.25% or more of carbon			
					--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together:			
5				11	---- Blanks for angles, shapes and sections	2.5	kg	-
5				19	---- Roughly shaped by forging	2.5	kg	-
					---- Other:			
					----- Rectangular (other than square), of a thickness of 6 mm or more, a width of 150 mm or more, the thickness not exceeding one-quarter of the width:			
5				21	----- Forged	2.5	kg	-
5				29	----- Other	2.5	kg	-
					----- Other:			
5				31	----- Forged	2.5	kg	-
5				39	----- Other	2.5	kg	-
					--- Other:			
5				41	---- Blanks for angles, shapes and sections	2.5	kg	-
5				49	---- Roughly shaped by forging	2.5	kg	-
					---- Other:			
					----- Rectangular (other than square), of a thickness of 6 mm or more, a width of 150 mm or more, the thickness not exceeding one-quarter of the width:			
5				51	----- Rolled	2.5	kg	-
5				59	----- Other	2.5	kg	-
					----- Other:			
5				91	----- Rolled	2.5	kg	-
5				99	----- Other	2.5	kg	-
	72.08				Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated			
		7208.10	00		- In coils, not further worked than hot-rolled, with patterns in relief			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other:			
5				91	---- Of a width of less than 1.50 m	2.5	kg	-
5				99	---- Of a width of 1.50 m or more	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5		7208.25	00	10	- Other, in coils, not further worked than hot-rolled, pickled: -- Of a thickness of 4.75 mm or more --- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, for “electrical” sheets and plates --- Other: ---- Of a width of less than 1.50 m:	10	kg	-
5				31	----- For re-rolling	10	kg	-
5				39	----- Other	10	kg	-
5				90	---- Of a width of 1.50 m or more	10	kg	-
5		7208.26	00	10	-- Of a thickness of 3 mm or more but less than 4.75 mm --- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, for “electrical” sheets and plates --- Other: ---- Of a width of less than 1.50 m:	10	kg	-
5				31	----- For re-rolling	10	kg	-
5				39	----- Other	10	kg	-
5				90	---- Of a width of 1.50 m or more	10	kg	-
5		7208.27	00	10	-- Of a thickness of less than 3 mm --- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, for “electrical” sheets and plates --- Other: ---- Of a width of less than 1.50 m:	10	kg	-
5				31	----- For re-rolling	10	kg	-
5				39	----- Other	10	kg	-
5				90	---- Of a width of 1.50 m or more	10	kg	-
5		7208.36	00	10	- Other, in coils, not further worked than hot-rolled: -- Of a thickness exceeding 10 mm --- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, for “electrical” sheets and plates --- Other: ---- Of a width of less than 1.50 m:	10	kg	-
5				31	----- For re-rolling	10	kg	-
5				39	----- Other	10	kg	-
5				90	---- Of a width of 1.50 m or more	10	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5		7208.37	10	00	- - Of a thickness of 4.75 mm or more but not exceeding 10 mm			
			90		- - - Of a thickness of not more than 6 mm and a width of 900 mm or more but not more than 1 500 mm	10	kg	-
5			10		- - - Other:			
5			20		- - - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5			31		- - - - Other, for “electrical” sheets and plates	10	kg	-
5			39		- - - - Other:			
5			90		- - - - - Of a width of less than 1.50 m:	10	kg	-
5					- - - - - For re-rolling	10	kg	-
5					- - - - - Other	10	kg	-
5					- - - - - Of a width of 1.50 m or more	10	kg	-
5		7208.38	10	00	- - Of a thickness of 3 mm or more but less than 4.75 mm	10	kg	-
5			90		- - - Of a width of 900 mm or more but not more than 1 500 mm	10	kg	-
5			10		- - - Other:	10	kg	-
5			20		- - - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5			31		- - - - Other, for “electrical” sheets and plates	10	kg	-
5			39		- - - - Other:			
5			90		- - - - - Of a width of less than 1.50 m:	10	kg	-
5					- - - - - For re-rolling	10	kg	-
5					- - - - - Other	10	kg	-
5					- - - - - Of a width of 1.50 m or more	10	kg	-
5		7208.39	10	00	- - Of a thickness of less than 3 mm	10	kg	-
5			90		- - - Of a thickness of 1.6 mm or more and a width of 900 mm or more but not more than 1 500 mm	10	kg	-
5			10		- - - Other:			
5			20		- - - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken	10	kg	-
5			31		- - - - Other, for “electrical” sheets and plates	10	kg	-
5			39		- - - - Other:			
5			90		- - - - - Of a width of less than 1.50 m:	10	kg	-
5					- - - - - For re-rolling	10	kg	-
5					- - - - - Other	10	kg	-
5					- - - - - Of a width of 1.50 m or more	10	kg	-
5		7208.40	00		- Not in coils, not further worked than hot-rolled, with patterns in relief			
5			10		- - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				91	--- Other:	2.5	kg	-
5				99	---- Of a thickness not exceeding 4.75 mm	2.5	kg	-
					---- Of a thickness exceeding 4.75 mm			
					- Other, not in coils, not further worked than hot-rolled:			
					-- Of a thickness exceeding 10 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				90	--- Other	10	kg	-
					-- Of a thickness of 4.75 mm or more but not exceeding 10 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5					--- Other:			
5				91	---- Of a thickness exceeding 4.75 mm	10	kg	-
5				99	---- Other	10	kg	-
					-- Of a thickness of 3 mm or more but less than 4.75 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, "electrical"	10	kg	-
5				90	--- Other	10	kg	-
					-- Of a thickness of less than 3 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				20	--- Other, "electrical"	10	kg	-
5					--- Other:			
5				30	---- 2 mm or more but less than 3 mm	10	kg	-
5					---- 0.50 mm or more but less than 2 mm:			
5				41	----- More than 1 mm but less than 2 mm	10	kg	-
5				49	----- 0.50 mm or more but not more than 1 mm	10	kg	-
5				90	---- Less than 0.50 mm	10	kg	-
					- Other			
5				10 00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
				20	--- Other, cut to rectangular (including square) shape, whether or not surface-treated but not otherwise worked:			
5				10	---- Polished or burnished	10	kg	-
5				90	---- Otherwise surface-treated	10	kg	-
				90	--- Other:			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	72.09			10	---- Not further worked than cut to shape other than rectangular (including square) shape	10	kg	-
5				90	---- Other	10	kg	-
					Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.			
					- In coils, not further worked than cold-rolled (cold-reduced):			
					-- Of a thickness of 3 mm or more			
5		7209.15	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				90	--- Other	2.5	kg	-
					-- Of a thickness exceeding 1 mm but less than 3 mm			
5		7209.16	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				20	--- Other, "electrical"	2.5	kg	-
5					--- Other:			
5				91	---- 2 mm or more but less than 3 mm	2.5	kg	-
5				99	---- More than 1 mm but less than 2 mm	2.5	kg	-
					-- Of a thickness of 0.5 mm or more but not exceeding 1 mm			
5		7209.17	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				20	--- Other, "electrical"	2.5	kg	-
5				90	--- Other	2.5	kg	-
					-- Of a thickness of less than 0.5 mm			
5		7209.18	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				20	--- Other, "electrical"	2.5	kg	-
5				90	--- Other	2.5	kg	-
					- Not in coils, not further worked than cold-rolled (cold-reduced):			
					-- Of a thickness of 3 mm or more			
5		7209.25	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				90	--- Other	2.5	kg	-
					-- Of a thickness exceeding 1 mm but less than 3 mm.			
5		7209.26	00	10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				20	--- Other, "electrical"	2.5	kg	-
5				91	---- 2 mm or more but less than 3 mm	2.5	kg	-
5				99	---- More than 1 mm but less than 2 mm	2.5	kg	-
		7209.27	00		-- Of a thickness of 0.5 mm or more but not exceeding 1 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				20	--- Other, "electrical"	2.5	kg	-
5				90	--- Other	2.5	kg	-
		7209.28	00		-- Of a thickness of less than 0.5 mm			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5				20	--- Other, "electrical"	2.5	kg	-
5				90	--- Other	2.5	kg	-
		7209.90			- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
			20		--- Other, cut to rectangular (including square) shape, whether or not surface-treated but not otherwise worked:			
5			10		---- Polished or burnished	2.5	kg	-
5			90		---- Other	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
	72.10				Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.			
					- Plated or coated with tin:			
		7210.11			-- Of a thickness of 0.5 mm or more			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
			20		--- Other, not further worked than cut to rectangular (including square) shape:			
5			10		---- Tinplate	2.5	kg	-
5			90		---- Other	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7210.12			-- Of a thickness of less than 0.5 mm			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-

Code				Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
			20	- - - Other, not further worked than cut to rectangular (including square) shape:			
5			10	- - - - Tinplate	2.5	kg	-
5			90	- - - - Other	2.5	kg	-
				- - - Other:			
5			91 00	- - - - Indented tinplate	2.5	kg	-
5			99 00	- - - - Other	2.5	kg	-
		7210.20		- Plated or coated with lead, including terne-plate			
5			10 00	- - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	17.5	kg	-
				- - - Other, not further worked than cut to rectangular (including square) shape, whether or not corrugated:			
5			21 00	- - - - Corrugated, of a thickness of less than 0.50 mm	25	kg	-
5			22 00	- - - - Flat, of a thickness of less than 0.50 mm	17.5	kg	-
5			29 00	- - - - Other, whether or not corrugated	2.5	kg	-
5			90 00	- - - Other	17.5	kg	-
		7210.30		- Electrolytically plated or coated with zinc			
				- - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together:			
5			11	- - - - Of steel, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	2.5	kg	-
5			19	- - - - Other	2.5	kg	-
				- - - Other:			
				- - - - Of steel, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:			
				- - - - - Not further worked than cut to rectangular (including square) shape, whether or not corrugated:			
5			21	- - - - - Corrugated, of a thickness of less than 0.50 mm	2.5	kg	-
5			22	- - - - - Flat, of a thickness of less than 0.50 mm	2.5	kg	-
5			29	- - - - - Other, whether or not corrugated	2.5	kg	-
5			30	- - - - - Other	2.5	kg	-
				- - - Other:			
				- - - - - Not further worked than cut to rectangular (including square) shape, whether or not corrugated:			
5			41	- - - - - Corrugated, of a thickness of less than 0.50 mm	2.5	kg	-
5			42	- - - - - Flat, of a thickness of less than 0.50 mm	2.5	kg	-
5			49	- - - - - Other, whether or not corrugated	2.5	kg	-
5			90	- - - - - Other	2.5	kg	-
				- Otherwise plated or coated with zinc:			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5		7210.41	10	00	-- Corrugated			
					--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	25	kg	-
5			20	00	--- Other, not further worked than cut to rectangular (including square) shape:	25	kg	-
5			90	00	--- Other	25	kg	-
		7210.49			-- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	17.5	kg	-
5			20	00	--- Other, not further worked than cut to rectangular (including square) shape:	17.5	kg	-
5			90	00	--- Other	17.5	kg	-
		7210.50			- Plated or coated with chromium oxides or with chromium and chromium oxides			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, not further worked than cut to rectangular (including square) shape:	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7210.61			- Plated or coated with aluminium:			
					-- Plated or coated with aluminium-zinc alloys			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, not further worked than cut to rectangular (including square) shape:	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7210.69			-- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, not further worked than cut to rectangular (including square) shape:	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7210.70			- Painted, varnished or coated with plastics			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	25	kg	-
					--- Other, not further worked than cut to rectangular (including square) shape:			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			21	00	---- flated or coated with tin on the two faces and them on a impregnated face before receving varnisthing or a coating of plastics printed à width range between 800mm en 100 mm	2.5	kg	-
5			29	00	---- Other	25	kg	-
5			90	00	--- Other	25	kg	-
		7210.90			- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other, not further worked than cut to rectangular (including square) shape:			
5			21	00	---- Plated with precious metal or enamelled	2.5	kg	-
5			22	00	---- Varnished, tin-plated or printed	17.5	kg	-
5			23	00	---- Chromium-plated and printed	17.5	kg	-
			29		---- Other:			
					----- Clad:			
5			11		----- Of a thickness of 3 mm or more	2.5	kg	-
5			19		----- Of a thickness of less than 3 mm	2.5	kg	-
					----- Other:			
5			91		----- Chromium-plated	2.5	kg	-
5			99		----- Other	2.5	kg	-
			90		--- Other:			
5			10		---- Plated with precious metal	17.5	kg	-
5			20		---- Enamelled	17.5	kg	-
5			90		---- Other	17.5	kg	-
	72.11				Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.			
		7211.13	00		- Not further worked than hot-rolled:			
					-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief			
5			10		--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
					--- Other, of a thickness not exceeding 6 mm, of a width not exceeding 500 mm, the thickness not exceeding one-tenth of the width:			
5			21		---- "Electrical"	10	kg	-
5			29		---- Other	10	kg	-
5			30		--- Other, of a thickness exceeding 5 mm but not exceeding 100 mm	10	kg	-
					--- Other, of a width exceeding 500 mm:			
5			40		---- "Electrical"	10	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				51	----- Other:			
5				59	----- Of a thickness not exceeding 4.75 mm	10	kg	-
5				90	----- Other	10	kg	-
				90	--- Other	10	kg	-
					-- Other, of a thickness of 4.75 mm or more			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5				21	--- Other, of a width exceeding 500 mm, in coils weighing 500 kg or more:			
5				22	---- For "electrical" sheets and plates	10	kg	-
5				22	---- For re-rolling	10	kg	-
5				29	---- Other	10	kg	-
5					--- Other, of a thickness not exceeding 6 mm, of a width not exceeding 500 mm, the thickness not exceeding one-tenth of the width:			
5				31	---- "Electrical"	10	kg	-
5				39	---- Other	10	kg	-
5				40	--- Other, of a thickness exceeding 5 mm but not exceeding 100 mm	10	kg	-
5					--- Other, of a width exceeding 500 mm:			
5				50	---- "Electrical"	10	kg	-
5					---- Other:			
5				61	----- Of a thickness exceeding 4.75 mm	10	kg	-
5				69	----- Other	10	kg	-
5				90	--- Other	10	kg	-
					-- Other			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	10	kg	-
5					--- Other, of a width exceeding 500 mm, of a thickness of 1.5 mm or more, in coils weighing 500 kg or more:			
5				20	---- For "electrical" sheets and plates	10	kg	-
5					---- For re-rolling:			
5				31	----- Of a thickness of less than 3 mm	10	kg	-
5				39	----- Other	10	kg	-
5					---- Other:			
5				41	----- Of a thickness of less than 3 mm	10	kg	-
5				49	----- Other	10	kg	-
5					--- Other, of a width not exceeding 500 mm and of and thickness not exceeding one-tenth of the width:			
5				51	---- "Electrical"	10	kg	-
5				59	---- Other	10	kg	-
5					--- Other, of a width exceeding 500 mm:			
5				60	---- "Electrical"	10	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				71	----- Other, of a thickness of:			
5				72	----- 2 mm or more but less than 3 mm	10	kg	-
5				73	----- More than 1 mm but less than 2 mm	10	kg	-
5				74	----- 0.50 mm or more but not more than 1 mm	10	kg	-
5				75	----- Less than 0.50 mm	10	kg	-
5				79	----- Other	10	kg	-
5				90	--- Other	10	kg	-
					- Not further worked than cold-rolled (cold-reduced):			
					- - Containing by weight less than 0.25% of carbon			
					--- Of a thickness not exceeding 6 mm, of a width not exceeding 500 mm, the thickness not exceeding one-tenth of the width:			
5				10	---- "Electrical"	2.5	kg	-
					---- For the manufacture of tinplate, in coils:			
5				21	----- Of a thickness of less than 0.50 mm and of a width exceeding 457 mm	2.5	kg	-
5				29	----- Other	2.5	kg	-
5				30	---- Other	2.5	kg	-
					--- Other, of a width exceeding 500 mm:			
5				40	---- "Electrical"	2.5	kg	-
					---- Other, of a thickness of:			
5				51	----- 3 mm or more	2.5	kg	-
5				53	----- More than 1 mm but less than 2 mm	2.5	kg	-
5				54	----- 0.50 mm or more but not more than 1 mm	2.5	kg	-
5				59	----- Less than 0.50 mm	2.5	kg	-
5				90	--- Other	2.5	kg	-
					- - Other			
5				10	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other, of a thickness not exceeding 6 mm, of a width not exceeding 500 mm, the thickness not exceeding one-tenth of the width:			
5				20	---- "Electrical"	2.5	kg	-
5					---- For the manufacture of tinplate, in coils:			
					----- Of a thickness of less than 0.50 mm and of a width exceeding 457 mm	2.5	kg	-
5				39	----- Other	2.5	kg	-
5				40	---- Other	2.5	kg	-
					--- Other, of a width exceeding 500 mm:			
5				50	---- "Electrical"	2.5	kg	-
					---- Other, of a thickness of:			
5				61	----- 3 mm or more	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				62	----- 2 mm or more but less than 3 mm	2.5	kg	-
5				63	----- More than 1 mm but less than 2 mm	2.5	kg	-
5				64	----- 0.50 mm or more but not more than 1 mm	2.5	kg	-
5				69	----- Less than 0.50 mm	2.5	kg	-
5				90	--- Other	2.5	kg	-
					- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
			20		--- Other, not further worked than surface-treated:	2.5	kg	-
5			10		---- Of a thickness not exceeding 6 mm, of a width not exceeding 500 mm, the thickness not exceeding one-tenth of the width	2.5	kg	-
5			20		---- Other, of a width exceeding 500 mm	2.5	kg	-
5			90		---- Other	2.5	kg	-
5			90	00	--- Other	17.5	kg	-
	72.12				Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.			
					- Plated or coated with tin			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other, of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width:			
			21		---- Not further worked than plated or coated with tin, whether or not corrugated:			
5			10		----- Of a thickness of 0.50 mm or more	2.5	kg	-
5			90		----- Of a thickness of less than 0.50 mm	2.5	kg	-
5			29	00	---- Other	2.5	kg	-
			91		--- Other:			
					---- Not further worked than plated or coated with tin, whether or not corrugated:			
5			10		----- Tinplate	2.5	kg	-
5			90		----- Other	2.5	kg	-
5			99	00	---- Other	2.5	kg	-
					- Electrolytically plated or coated with zinc			
5			10		--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					--- Other:			
					---- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width:			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				21	----- Not further worked than plated or coated with zinc, whether or not corrugated: ----- Of steel, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa	2.5	kg	-
5				29	----- Other	2.5	kg	-
5				30	----- Other	2.5	kg	-
5				91	----- Other: ----- Of a thickness of less than 0.50 mm, not further worked than corrugated	2.5	kg	-
5				92	----- Of a thickness of less than 0.50 mm, flat, not further worked	2.5	kg	-
5				93	----- Other, not further worked than plated or coated with zinc, whether or not corrugated	2.5	kg	-
5				99	----- Other	2.5	kg	-
5					- Otherwise plated or coated with zinc			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together --- Other: --- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width:	17.5	kg	-
5			21	00	----- Not further worked than plated or coated with zinc, whether or not corrugated	25	kg	-
5			29	00	----- Other ----- Other:	17.5	kg	-
5			91	00	----- Of a thickness of less than 0.50 mm, not further worked than corrugated	25	kg	-
5			92	00	----- Of a thickness of less than 0.50 mm, flat, not further worked	17.5	kg	-
5			93	00	----- Other, not further worked than plated or coated with zinc, corrugated	25	kg	-
5			94	00	----- Other, not further worked than plated or coated with zinc	17.5	kg	-
5			99	00	----- Other	17.5	kg	-
5					- Painted, varnished or coated with plastics			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	25	kg	-
5			20	00	--- Other, "electrical" --- Other: --- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width:	25	kg	-
5			31	00	----- Not further worked than painted, varnished or coated with plastics, whether or not corrugated	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			39		----- Other:			
5			10		----- Only electrolytically plated or coated with zinc, then varnished even on both faces, or coated with plastics, not printed, of a width lies between 29.6 mm and 180 mm included and presented in reel	2.5	kg	-
5			90		----- Other	25	kg	-
5					----- Other :			
5			91	00	----- Not further worked than painted, varnished or coated with plastics, whether or not corrugated	25	kg	-
5			99	00	----- Other	25	kg	-
5		7212.50			- Otherwise plated or coated			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, "electrical"	2.5	kg	-
5					--- Other:			
5					---- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width:			
5					----- Not further worked than plated or coated, whether or not corrugated:			
5			31	00	----- Plated or coated with precious metal	2.5	kg	-
5			32	00	----- Enamelled	2.5	kg	-
5			33	00	----- Plated or coated with lead	2.5	kg	-
5			39	00	----- Other (plated or coated with copper or nickel, artificially oxidized, parkerized, printed, etc.)	2.5	kg	-
5			40	00	----- Other	17.5	kg	-
5					----- Other:			
5			51	00	----- Flat, not further worked than plated or coated with lead, of a thickness of less than 0.50 mm	17.5	kg	-
5			52	00	----- Corrugated, not further worked than plated or coated with lead, of a thickness of less than 0.50 mm	25	kg	-
5			59	00	----- Other, not further worked than plated or coated with lead, whether or not corrugated	25	kg	-
5					----- Other, not further worked than plated or coated, whether or not corrugated:			
5			61	00	----- Plated or coated with precious metal	2.5	kg	-
5			62	00	----- Enamelled	2.5	kg	-
5			63	00	----- Chromium-plated and printed	17.5	kg	-
5			64	00	----- Chromium-plated	2.5	kg	-
5			69	00	----- Other	2.5	kg	-
5			90	00	----- Other	17.5	kg	-
		7212.60			- Clad			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together --- Other: ---- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm, the thickness not exceeding one-tenth of the width: ----- Not further worked than clad, whether or not corrugated:	2.5	kg	-
5			21	00	----- Hot-rolled	2.5	kg	-
5			29	00	----- Cold-rolled (cold-reduced)	2.5	kg	-
5			30	00	----- Other ---- Other:	17.5	kg	-
			91		----- Not further worked than clad, whether or not corrugated:			
5			10		----- Of a thickness of 3 mm or more	2.5	kg	-
5			90		----- Of a thickness of less than 3 mm	2.5	kg	-
5			99	00	----- Other	17.5	kg	-
	72.13				Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel. - Containing indentations, ribs, grooves or other deformations produced during the rolling process			
5		7213.10	10	00	--- Having a cross-section in the shape of “flattened circles” or “modified rectangles”	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
5		7213.20	00	00	- Other, of free-cutting steel	2.5	kg	-
		7213.91			- Other: - - Of circular cross-section measuring less than 14 mm in diameter			
5			10	00	--- Containing by weight 0.6% or more of carbon --- Other:	2.5	kg	-
5			20	00	---- Of a diameter of less than 5.5 mm, containing by weight not more than 0.08% of carbon, provided the sulphur and phosphorus content by weight is less than 0.03% taken separately and less than 0.05% taken together	2.5	kg	-
5			90	00	---- Other	2.5	kg	-
5		7213.99	00	00	- - Other	2.5	kg	-
	72.14				Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.			
		7214.10		00	- Forged --- Having a cross-section in the shape of “flattened circles” or “modified rectangles”:			
5			11		---- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			19		---- Other	2.5	kg	-
5			90		--- Other	2.5	kg	-
		7214.20			- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling			
5			20	00	--- Having a cross-section in the shape of “flattened circles” or “modified rectangles”	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7214.30	00	00	- Other, of free-cutting steel	2.5	kg	-
		7214.91	00		- Other:			
					- - Of rectangular (other than square) cross-section			
5			10		--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			90		--- Other	2.5	kg	-
		7214.99			- - Other			
5			10	00	--- Having a cross-section in the shape of “flattened circles”	2.5	kg	-
5			91	00	--- Other:			
5			99	00	---- Concrete reinforcing bars and rods	2.5	kg	-
5					---- Other	2.5	kg	-
	72.15				Other bars and rods of iron or non-alloy steel.			
		7215.10			- Of free-cutting steel, not further worked than cold-formed or cold-finished			
5			10	00	--- Having a cross-section in the shape of “flattened circles” or “modified rectangles”	2.5	kg	-
5			90	00	--- Other	2.5	kg	-
		7215.50			- Other, not further worked than cold-formed or cold-finished			
					--- Having a cross-section in the shape of “flattened circles” or “modified rectangles”:			
5			10	00	---- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			21	00	---- Other:			
5			29	00	----- The greatest cross-sectional dimension of which does not exceed 13 mm, drawn	2.5	kg	-
5			90	00	----- Other	2.5	kg	-
		7215.90			- - - Other			
5			11	00	--- Having a cross-section in the shape of “flattened circles” or “modified rectangles”:	2.5	kg	-
					---- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together			
5			19	00	---- Other	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	72.16		90	00	- - - Other	2.5	kg	-
					Angles, shapes and sections of iron or non-alloy steel.			
5		7216.10	00	00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	2.5	kg	-
					- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:			
5		7216.21	00	00	- - L sections	2.5	kg	-
5		7216.22	00	00	- - T sections	2.5	kg	-
					- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:			
		7216.31	00		- - U sections			
5				10	- - - With parallel flange faces	2.5	kg	-
5				90	- - - Other	2.5	kg	-
		7216.32	00		- - I sections			
5				10	- - - With parallel flange faces	2.5	kg	-
5				90	- - - Other	2.5	kg	-
5		7216.33	00	00	- - H sections	2.5	kg	-
5		7216.40	00	00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	2.5	kg	-
5		7216.50	00	00	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	2.5	kg	-
					- Angles, shapes and sections, not further worked than cold-formed or cold-finished:			
		7216.61			- - Obtained from flat-rolled products			
5			10	00	- - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					- - - Other:			
5			91	00	- - - - The greatest cross-sectional dimension of which does not exceed 13 mm, drawn	2.5	kg	-
5			99	00	- - - - Other	2.5	kg	-
		7216.69			- - Other			
5			10	00	- - - Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
					- - - Other:			
5			91	00	- - - - The greatest cross-sectional dimension of which does not exceed 13 mm, drawn	2.5	kg	-
5			99	00	- - - - Other	2.5	kg	-
					- Other:			
		7216.91			- - Cold-formed or cold-finished from flat-rolled products			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			21	00	---- Not further worked than forged	2.5	kg	-
5			22	00	---- Other, of an apparent width exceeding 500 mm, lacquered	2.5	kg	-
5			29	00	---- Other, the greatest cross-sectional dimension of which does not exceed 13 mm, drawn	2.5	kg	-
5					---- Other:			
5			91	00	----- Trunkways	2.5	kg	-
5			99		----- Other:			
5				10	----- Not further worked than clad	2.5	kg	-
5				90	----- Other	2.5	kg	-
					-- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5					--- Other:			
5			21	00	---- Not further worked than forged	2.5	kg	-
5			29	00	---- Other, of an apparent width exceeding 500 mm, lacquered	2.5	kg	-
5					---- Other:			
5			91	00	----- Trunkways	2.5	kg	-
5			99		----- Other:	2.5	kg	-
5				10	----- Not further worked than clad	2.5	kg	-
5				90	----- Other	2.5	kg	-
					Wire of iron or non-alloy steel.			
					- Not plated or coated, whether or not polished			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, of a diameter of more than 4 mm but less than 6.50 mm, containing less than 0.17% of carbon, less than 0.50% of manganese, not more than 0.02% of sulphur, not more than 0.02% of phosphorus and not more than 0.05% of silicon	2.5	kg	-
5					--- Other:			
5				10	---- unwrought wire, black annealed	25	kg	-
5				20	---- Steel wire, blank drawn, specially treated for use directly as band strip for packing, of oval cross-section, of a width of 1.3 mm and a tensile strength of 130/140 kg/mm ²	25	kg	-
5				90	---- Other	25	kg	-
					- Plated or coated with zinc			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			91	00	--- Other: ---- Of a diameter not exceeding 0.85 mm	2.5	kg	-
5			99	00	---- Other	25	kg	-
		7217.30			- Plated or coated with other base metals			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			91	00	--- Other: ---- Plated or coated with copper, for soldering, brazing or welding, in coils	25	kg	-
5			99	00	---- Other	2.5	kg	-
		7217.90			- Other			
5			10	00	--- Of steel containing by weight 0.6% or more of carbon, provided the sulphur and phosphorus content by weight is less than 0.04% taken separately and less than 0.07% taken together	2.5	kg	-
5			20	00	--- Other, otherwise plated or coated with metal	2.5	kg	-
5			90	00	--- Other	25	kg	-
					III. STAINLESS STEEL			
	72.18				Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.			
		7218.10	00		- Ingots and other primary forms			
5			10		--- Forged	2.5	kg	-
5			90		--- Other	2.5	kg	-
		7218.91	00		- Other:			
					-- Of rectangular (other than square) cross-section			
5			10		--- Blanks for angles, shapes and sections	2.5	kg	-
5			20		--- Roughly shaped by forging	2.5	kg	-
5			91		--- Other: ---- Forged	2.5	kg	-
5			99		---- Other	2.5	kg	-
		7218.99			-- Other			
5			10		--- Blanks for angles, shapes and sections	2.5	kg	-
5			20		--- Roughly shaped by forging	2.5	kg	-
5			91		--- Other: ---- Forged	2.5	kg	-
5			99		---- Other	2.5	kg	-
	72.19				Flat-rolled products of stainless steel, of a width of 600 mm or more.			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	72.20	7219.11	00	00	- Not further worked than hot-rolled, in coils: -- Of a thickness exceeding 10 mm	2.5	kg	-
5		7219.12	00	00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	2.5	kg	-
5		7219.13	00	00	-- Of a thickness of 3 mm or more but less than 4.75 mm	2.5	kg	-
5		7219.14	00	00	-- Of a thickness of less than 3 mm	2.5	kg	-
5		7219.21	00	00	- Not further worked than hot-rolled, not in coils: -- Of a thickness exceeding 10 mm	2.5	kg	-
5		7219.22	00	00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	2.5	kg	-
5		7219.23	00	00	-- Of a thickness of 3 mm or more but less than 4.75 mm	2.5	kg	-
5		7219.24	00	00	-- Of a thickness of less than 3 mm	2.5	kg	-
5		7219.31	00	00	- Not further worked than cold-rolled (cold-reduced): -- Of a thickness of 4.75 mm or more	2.5	kg	-
5		7219.32	00	00	-- Of a thickness of 3 mm or more but less than 4.75 mm	2.5	kg	-
5		7219.33	00	00	-- Of a thickness exceeding 1 mm but less than 3 mm	2.5	kg	-
5		7219.34	00	00	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	2.5	kg	-
5		7219.35	00	00	-- Of a thickness of less than 0.5 mm	2.5	kg	-
5		7219.90	00		- Other			
5				10	--- Cut to rectangular (including square) shape, clad or surface-treated, whether or not corrugated, but not otherwise worked	2.5	kg	-
5				91	--- Other: ---- Not further worked than cut to rectangular (including square) shape	2.5	kg	-
5				99	---- Other	2.5	kg	-
5		7220.11	00		Flat-rolled products of stainless steel, of a width of less than 600 mm. - Not further worked than hot-rolled: -- Of a thickness of 4.75 mm or more			
5				10	--- Of a width exceeding 500 mm, in coils weighing 500 kg or more	2.5	kg	-
5				20	--- Of rectangular (other than square) shape, of a width exceeding 150 mm and a thickness exceeding 5 mm but not exceeding 100 mm	2.5	kg	-
5				30	--- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-
5				90	--- Other	2.5	kg	-
5		7220.12	00		-- Of a thickness of less than 4.75 mm			
5				10	--- Of a width exceeding 500 mm, of a thickness of exceeding 1.50 mm, in coils weighing 500 kg or more	2.5	kg	-
5				20	--- Of a width not exceeding 500 mm and of and a thickness not exceeding one-tenth of the width	2.5	kg	-
5				30	--- Other, of a thickness of 3 mm or more	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5		7220.20	00	90	- - - Other - Not further worked than cold-rolled (cold-reduced)	2.5	kg	-
5				10	- - - Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-
5				20	- - - Other, of a thickness of 3 mm or more	2.5	kg	-
5		7220.90	00	90	- - - Other - Other	2.5	kg	-
					- - - Not further worked than clad or surface-treated, whether or not corrugated:			
					- - - - Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width:			
					- - - - - Not further worked than clad:			
5				11	- - - - - Hot-rolled	2.5	kg	-
5				19	- - - - - Cold-rolled (cold-reduced)	2.5	kg	-
5				20	- - - - - Other	2.5	kg	-
5				30	- - - - Other	2.5	kg	-
					- - - Other:			
5				91	- - - - Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-
5				99	- - - - Other	2.5	kg	-
5	72.21	7221.00	00	00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel	2.5	kg	-
	72.22				Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.			
					- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			
5		7222.11	00	00	- - Of circular cross-section	2.5	kg	-
5		7222.19	00	00	- - Other	2.5	kg	-
5		7222.20	00	00	- Bars and rods, not further worked than cold-formed or cold-finished	2.5	kg	-
		7222.30	00		- Other bars and rods			
5				10	- - - Not further worked than forged	2.5	kg	-
					- - - Clad or surface-treated (polished, coated, plated, etc.):			
					- - - - Not further worked than clad:			
5				21	- - - - - Hot-rolled, hot-drawn or extruded	2.5	kg	-
5				29	- - - - - Cold-formed or cold-finished	2.5	kg	-
5				30	- - - - Other	2.5	kg	-
5				90	- - - Other	2.5	kg	-
		7222.40	00		- Angles, shapes and sections			
5				12	- - - Not further worked than forged	2.5	kg	-
5				22	- - - Not further worked than hot-rolled, hot-drawn or extruded	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				33	--- Not further worked than cold-formed or cold-finished:			
5				37	---- Obtained from flat-rolled products	2.5	kg	-
5					---- Other	2.5	kg	-
5					--- Clad or surface-treated (polished, coated, plated, etc.):			
5				43	---- Not further worked than clad:			
5				47	----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5				47	----- Cold-formed or cold-finished	2.5	kg	-
5				60	---- Other	2.5	kg	-
5				80	--- Other	2.5	kg	-
5	72.23	7223.00	00	00	Wire of stainless steel	2.5	kg	-
IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL								
	72.24				Other alloy steel in ingots or other primary forms; semi- finished products of other alloy steel.			
		7224.10	00		- Ingots and other primary forms			
5				10	--- Forged	2.5	kg	-
5				20	---- Other:			
5					---- Remelting scrap ingots	2.5	kg	-
5					---- Other:			
5				91	----- High speed steel	2.5	kg	-
5				99	----- Other	2.5	kg	-
		7224.90	00		- Other			
5				10	--- Blanks for angles, shapes and sections	2.5	kg	-
5				20	--- Roughly shaped by forging	2.5	kg	-
5				30	--- Other, forged	2.5	kg	-
5					--- Other:			
5				91	---- High speed steel	2.5	kg	-
5				92	---- Silico-manganese steel	2.5	kg	-
5				99	---- Other	2.5	kg	-
	72.25				Flat-rolled products of other alloy steel, of a width of 600 mm or more.			
		7225.11	00		- Of silicon-electrical steel:			
					-- Grain-oriented			
5				11	--- Hot-rolled, of rectangular (other than square) cross-section, of a thickness of 1.50 mm or more, in coils weighing 500 kg or more:			
5					---- Of a width of less than 1.50 m for re-rolling	2.5	kg	-
5				19	---- Other	2.5	kg	-
5					--- Other:			
5				91	---- Having a watt loss not exceeding 0.75 W	2.5	kg	-
5				99	---- Other	2.5	kg	-

Code			Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	7225.19	00	-- Other			
5		11	--- Hot-rolled, of rectangular (other than square) cross-section, of a thickness of 1.50 mm or more, in coils weighing 500 kg or more:	2.5	kg	-
5		19	---- Of a width of less than 1.50 m for re-rolling	2.5	kg	-
5		91	---- Other	2.5	kg	-
5		99	---- Other:	2.5	kg	-
5			---- Having a watt loss not exceeding 0.75 W	2.5	kg	-
5			---- Other	2.5	kg	-
5	7225.20	00	- Of high speed steel			
5		11	--- Hot-rolled, of rectangular (other than square) cross-section, of a thickness of 1.50 mm or more, in coils weighing 500 kg or more:	2.5	kg	-
5		12	---- Of a width of less than 1.50 m:	2.5	kg	-
5		19	----- For re-rolling:	2.5	kg	-
5		21	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5		22	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5		29	----- Of a thickness of less than 3 mm	2.5	kg	-
5		31	----- Other:	2.5	kg	-
5		32	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5		39	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5		41	----- Of a thickness of less than 3 mm	2.5	kg	-
5		42	----- Of a width of 1.50 m or more:	2.5	kg	-
5		49	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5		51	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5		59	----- Of a thickness of less than 3 mm	2.5	kg	-
5		60	----- Other, not further worked than hot-rolled:	2.5	kg	-
5		91	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5		99	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5			----- Of a thickness of less than 3 mm	2.5	kg	-
5			----- Other, not further worked than cold-rolled (cold-reduced):	2.5	kg	-
5			----- Of a thickness of 3 mm or more	2.5	kg	-
5			----- Of a thickness of less than 3 mm	2.5	kg	-
5			----- Other:	2.5	kg	-
5			----- Polished, clad, coated, plated or otherwise surface-treated	2.5	kg	-
5			----- Otherwise worked:	2.5	kg	-
5			----- Not further worked than cut to shape other than rectangular (including square) shape	2.5	kg	-
5			----- Other	2.5	kg	-
5	7225.30	00	- Other, not further worked than hot-rolled, in coils			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5					--- Of rectangular (other than square) shape, of a thickness of 1.50 mm or more, in coils weighing 500 kg or more:			
5					---- Of a width of less than 1.50 m:			
5					----- For re-rolling:			
5				11	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				12	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				19	----- Of a thickness of less than 3 mm	2.5	kg	-
5					----- Other:			
5				21	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				22	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				29	----- Of a thickness of less than 3 mm	2.5	kg	-
5					---- Of a width of 1.50 m or more:			
5				31	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				32	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				39	----- Of a thickness of less than 3 mm	2.5	kg	-
5					--- Other:			
5				91	---- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				92	---- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				99	---- Of a thickness of less than 3 mm	2.5	kg	-
5		7225.40	00		- Other, not further worked than hot-rolled, not in coils			
5				10	--- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				20	--- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				90	--- Of a thickness of less than 3 mm	2.5	kg	-
5		7225.50	00		- Other, not further worked than cold-rolled (cold-reduced)			
5				10	--- Of a thickness of 3 mm or more	2.5	kg	-
5				90	--- Of a thickness of less than 3 mm	2.5	kg	-
5		7225.91	00		- Other:			
5					- - Electrolytically plated or coated with zinc			
5				10	--- Cut to rectangular (including square) shape, not further worked than clad or surface-treated, whether or not corrugated	2.5	kg	-
5					--- Other:			
5				91	---- Not further worked than cut to shape other than rectangular (including square) shape	2.5	kg	-
5				99	---- Other	2.5	kg	-
5		7225.92	00		- - Otherwise plated or coated with zinc			
5				10	--- Cut to rectangular (including square) shape, not further worked than clad or surface-treated, whether or not corrugated	2.5	kg	-
5					--- Other:			
5				91	---- Not further worked than cut to shape other than rectangular (including square) shape	2.5	kg	-
5				99	---- Other	2.5	kg	-

Code				Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	72.26	7225.99	00	-- Other			
5			10	--- Cut to rectangular (including square) shape, not further worked than clad or surface-treated, whether or not corrugated	2.5	kg	-
5			91	--- Other: ---- Not further worked than cut to shape other than rectangular (including square) shape	2.5	kg	-
5			99	---- Other	2.5	kg	-
		7226.11	00	Flat-rolled products of other alloy steel, of a width of less than 600 mm. - Of silicon-electrical steel: -- Grain-oriented			
5			10	--- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width: ---- Not further worked than hot-rolled	2.5	kg	-
5			21	---- Not further worked than cold-rolled (cold-reduced): ----- Having a watt loss not exceeding 0.75 W	2.5	kg	-
5			29	----- Other	2.5	kg	-
				----- Other: ----- Clad, coated, plated or otherwise surface-treated: ----- Not further worked than clad:			
5			31	----- Hot-rolled	2.5	kg	-
5			39	----- Cold-rolled (cold-reduced)	2.5	kg	-
5			40	----- Other	2.5	kg	-
5			50	----- Otherwise worked (perforated, chamfered, etc.)	2.5	kg	-
5			91	--- Other: ---- Having a watt loss not exceeding 0.75 W whatever the thickness	2.5	kg	-
5			99	---- Other	2.5	kg	-
		7226.19	00	-- Other			
5			10	--- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width: ---- Not further worked than hot-rolled	2.5	kg	-
5			21	---- Not further worked than cold-rolled (cold-reduced): ----- Having a watt loss not exceeding 0.75 W	2.5	kg	-
5			29	----- Other	2.5	kg	-
				----- Other: ----- Clad, coated, plated or otherwise surface-treated: ----- Not further worked than clad:			
5			31	----- Hot-rolled	2.5	kg	-
5			39	----- Cold-rolled (cold-reduced)	2.5	kg	-
5			40	----- Other	2.5	kg	-
5			50	----- Otherwise worked (perforated, chamfered, etc.)	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				91	--- Other: ---- Having a watt loss not exceeding 0.75 W whatever the thickness	2.5	kg	-
5				99	---- Other	2.5	kg	-
		7226.20	00		- Of high speed steel			
					--- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width:			
5				11	---- Not further worked than hot-rolled	2.5	kg	-
5				19	---- Not further worked than cold-rolled (cold-reduced)	2.5	kg	-
					---- Other:			
					----- Clad, coated, plated or otherwise surface-treated:			
					----- Not further worked than clad:			
5				21	----- Hot-rolled	2.5	kg	-
5				29	----- Cold-rolled (cold-reduced)	2.5	kg	-
5				30	----- Other	2.5	kg	-
5				40	----- Otherwise worked (perforated, chamfered, with folded edges, etc.)	2.5	kg	-
					--- Other:			
					---- Not further worked than hot-rolled:			
5				51	----- Of a thickness exceeding 4.75 mm	2.5	kg	-
5				52	----- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				59	----- Of a thickness of less than 3 mm	2.5	kg	-
					---- Not further worked than cold-rolled (cold-reduced):			
5				61	----- Of a thickness of 3 mm or more	2.5	kg	-
5				69	----- Of a thickness of less than 3 mm	2.5	kg	-
					---- Other:			
5				91	----- Polished, clad, coated, plated or otherwise surface-treated	2.5	kg	-
5				99	----- Otherwise worked	2.5	kg	-
		7226.91	00		- Other:			
					-- Not further worked than hot-rolled			
5				10	--- Of a width exceeding 500 mm, of a thickness exceeding 5 mm but not exceeding 100 mm, in coils weighing 500 kg or more	2.5	kg	-
5				20	--- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-
					--- Other:			
5				91	---- Of a thickness of 4.75 mm	2.5	kg	-
5				92	---- Of a thickness of 3 mm or more but not exceeding 4.75 mm	2.5	kg	-
5				99	---- Of a thickness of less than 3 mm	2.5	kg	-
		7226.92	00		-- Not further worked than cold-rolled (cold-reduced)			
5				10	--- Of rectangular (other than square) cross-section, of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5				91	--- Other:			
5				99	---- Of a thickness of 3 mm or more	2.5	kg	-
5					---- Other	2.5	kg	-
5		7226.93	00	00	- - Electrolytically plated or coated with zinc	2.5	kg	-
5		7226.94	00	00	- - Otherwise plated or coated with zinc	2.5	kg	-
		7226.99	00		- - Other			
					--- Not further worked than clad or surface-treated, whether or not corrugated:			
					---- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width:			
					----- Not further worked than clad:			
5				11	----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5				19	----- Cold-formed or cold-finished	2.5	kg	-
5				20	----- Other	2.5	kg	-
5				30	---- Other	2.5	kg	-
					--- Other:			
5				91	---- Of a width not exceeding 500 mm, of a thickness not exceeding 6 mm and the thickness not exceeding one-tenth of the width	2.5	kg	-
5				99	---- Other	2.5	kg	-
	72.27				Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.			
5		7227.10	00	00	- Of high speed steel	2.5	kg	-
5		7227.20	00	00	- Of silico-manganese steel	2.5	kg	-
		7227.90	00		- Other			
5				10	--- Containing S, Pb or P (for cutting, etc.)	2.5	kg	-
5				90	--- Other	2.5	kg	-
	72.28				Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.			
		7228.10	00		- Bars and rods, of high speed steel			
5				10	--- Not further worked than forged	2.5	kg	-
5				20	--- Not further worked than hot-rolled, hot-drawn or extruded	2.5	kg	-
5				30	--- Not further worked than cold-formed or cold-finished	2.5	kg	-
					--- Clad or surface-treated (polished, coated, plated, etc.):			
					---- Not further worked than clad:			
5				41	----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5				49	----- Cold-formed or cold-finished	2.5	kg	-
5				50	---- Other	2.5	kg	-
5				90	--- Other	2.5	kg	-
		7228.20			- Bars and rods, of silico-manganese steel			

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5			10	00	--- Bars and rods of structural steel, not further worked than hot-rolled, tempered and hardened, for the manufacture of springs	2.5	kg	-
			90		--- Other:			
5			10		---- Not further worked than forged	2.5	kg	-
5			20		---- Not further worked than hot-rolled, hot-drawn or extruded	2.5	kg	-
5			30		---- Not further worked than cold-formed or cold-finished	2.5	kg	-
					---- Clad or surface-treated (polished, coated, plated, etc.):			
					----- Not further worked than clad:			
5			41		----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5			49		----- Cold-formed or cold-finished	2.5	kg	-
5			50		----- Other	2.5	kg	-
5			90		---- Other	2.5	kg	-
5		7228.30	00	00	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	2.5	kg	-
5		7228.40	00	00	- Other bars and rods, not further worked than forged	2.5	kg	-
5		7228.50	00	00	- Other bars and rods, not further worked than cold-formed or cold-finished	2.5	kg	-
		7228.60			- Other bars and rods			
5			10	00	--- Bars and rods of structural steel, not further worked than hot-rolled, tempered and hardened, for the manufacture of springs	2.5	kg	-
			90		--- Other:			
					---- Not further worked than clad:			
5			11		----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5			19		----- Cold-formed or cold-finished	2.5	kg	-
5			90		---- Other	2.5	kg	-
		7228.70	00		- Angles, shapes and sections			
					--- Not further worked than forged:			
5			11		---- Of high speed steel	2.5	kg	-
5			19		---- Other	2.5	kg	-
					--- Not further worked than hot-rolled, hot-drawn or extruded:			
5			21		---- Of high speed steel	2.5	kg	-
5			22		---- Of silico-manganese steel	2.5	kg	-
5			29		---- Other	2.5	kg	-
					--- Not further worked than cold-formed or cold-finished:			
5			31		---- Angles, shapes and sections obtained from flat-rolled products	2.5	kg	-
5			39		---- Other angles, shapes, and sections	2.5	kg	-
					--- Clad or surface-treated (polished, coated, plated, etc.):			
					---- Not further worked than clad:			
5			41		----- Hot-rolled, hot-drawn or extruded	2.5	kg	-
5			49		----- Cold-formed or cold-finished	2.5	kg	-
5			90		---- Other	2.5	kg	-

Code					Description	Rate of duty (%)	Quantity normalized Unit	Complementary Unit
5	72.29	7228.80	00	00	- Hollow drill bars and rods	2.5	kg	-
					Wire of other alloy steel			
5		7229.10	00	00	- Of high speed steel	2.5	kg	-
5		7229.20	00	00	- Of silico-manganese steel	2.5	kg	-
5		7229.90	00	00	- Other	2.5	kg	-